

# AN ISO 25 INOX-INOX

# DOPPIAPARETE INOX AISI 316L

Elemento lineare  
1000 mm



| CODICE   | € pz.  | Øi  | Øe  |
|----------|--------|-----|-----|
| I2501350 | 297,22 | 350 | 400 |
| I2501400 | 327,65 | 400 | 450 |
| I2501450 | 362,71 | 450 | 500 |
| I2501500 | 397,90 | 500 | 550 |
| I2501550 | 532,25 | 550 | 600 |
| I2501600 | 572,76 | 600 | 650 |
| I2501650 | 654,52 | 650 | 700 |
| I2501700 | 758,29 | 700 | 750 |
| I2501750 | 850,62 | 750 | 800 |
| I2501800 | 935,95 | 800 | 850 |

Elemento lineare  
500 mm



| CODICE   | € pz.  | Øi  | Øe  |
|----------|--------|-----|-----|
| I2502350 | 174,74 | 350 | 400 |
| I2502400 | 192,39 | 400 | 450 |
| I2502450 | 212,80 | 450 | 500 |
| I2502500 | 233,30 | 500 | 550 |
| I2502550 | 310,45 | 550 | 600 |
| I2502600 | 334,05 | 600 | 650 |
| I2502650 | 360,52 | 650 | 700 |
| I2502700 | 418,31 | 700 | 750 |
| I2502750 | 469,67 | 750 | 800 |
| I2502800 | 517,12 | 800 | 850 |

Elemento lineare  
330 mm



| CODICE   | € pz.  | Øi  | Øe  |
|----------|--------|-----|-----|
| I2503350 | 125,83 | 350 | 400 |
| I2503400 | 138,41 | 400 | 450 |
| I2503450 | 152,99 | 450 | 500 |
| I2503500 | 167,60 | 500 | 550 |
| I2503550 | 221,94 | 550 | 600 |
| I2503600 | 238,72 | 600 | 650 |
| I2503650 | 257,65 | 650 | 700 |
| I2503700 | 299,37 | 700 | 750 |
| I2503750 | 336,39 | 750 | 800 |
| I2503800 | 370,56 | 800 | 850 |

Elemento lineare  
250 mm



| CODICE   | € pz.  | Øi  | Øe  |
|----------|--------|-----|-----|
| I2505350 | 104,36 | 350 | 400 |
| I2505400 | 114,56 | 400 | 450 |
| I2505450 | 126,51 | 450 | 500 |
| I2505500 | 138,53 | 500 | 550 |
| I2505550 | 179,54 | 550 | 600 |
| I2505600 | 192,96 | 600 | 650 |
| I2505650 | 208,27 | 650 | 700 |
| I2505700 | 243,50 | 700 | 750 |
| I2505750 | 274,62 | 750 | 800 |
| I2505800 | 303,24 | 800 | 850 |

Elemento telescopico/  
regolabile 260 - 390 mm



| CODICE   | € pz.  | Øi  | Øe  |
|----------|--------|-----|-----|
| I2509350 | 210,04 | 350 | 400 |
| I2509400 | 231,07 | 400 | 450 |
| I2509450 | 255,53 | 450 | 500 |
| I2509500 | 280,18 | 500 | 550 |
| I2509550 | 375,21 | 550 | 600 |
| I2509600 | 403,49 | 600 | 650 |
| I2509650 | 435,50 | 650 | 700 |
| I2509700 | 506,88 | 700 | 750 |
| I2509750 | 570,16 | 750 | 800 |
| I2509800 | 628,50 | 800 | 850 |

Elemento prelievo fumi  
monoforo



| CODICE   | € pz.       | Øi  | Øe  |
|----------|-------------|-----|-----|
| I2595350 | 163,12      | 350 | 400 |
| I2595400 | 184,99      | 400 | 450 |
| I2595450 | 232,91      | 450 | 500 |
| I2595500 | 249,68      | 500 | 550 |
| I2595550 | a richiesta | 550 | 600 |
| I2595600 | a richiesta | 600 | 650 |
| I2595650 | a richiesta | 650 | 700 |
| I2595700 | a richiesta | 700 | 750 |
| I2595750 | a richiesta | 750 | 800 |
| I2595800 | a richiesta | 800 | 850 |

Elemento prelievo fumi  
con termometro e  
piastra



| CODICE   | € pz.    | Øi  | Øe  |
|----------|----------|-----|-----|
| I2598350 | 479,76   | 350 | 400 |
| I2598400 | 564,10   | 400 | 450 |
| I2598450 | 673,68   | 450 | 500 |
| I2598500 | 843,76   | 500 | 550 |
| I2598550 | 987,01   | 550 | 600 |
| I2598600 | 1.092,88 | 600 | 650 |
| I2598650 | 1.147,16 | 650 | 700 |
| I2598700 | 1.203,77 | 700 | 750 |
| I2598750 | 1.262,72 | 750 | 800 |
| I2598800 | 1.376,43 | 800 | 850 |

Elemento ispezione  
con portello



TENUTA N1

| CODICE   | € pz.    | Øi  | Øe  |
|----------|----------|-----|-----|
| I2511350 | 347,04   | 350 | 400 |
| I2511400 | 407,20   | 400 | 450 |
| I2511450 | 485,20   | 450 | 500 |
| I2511500 | 606,10   | 500 | 550 |
| I2511550 | 738,76   | 550 | 600 |
| I2511600 | 817,56   | 600 | 650 |
| I2511650 | 858,10   | 650 | 700 |
| I2511700 | 900,33   | 700 | 750 |
| I2511750 | 944,34   | 750 | 800 |
| I2511800 | 1.028,97 | 800 | 850 |

Elemento ispezione  
con tappo



TENUTA P1

| CODICE   | € pz.  | Øi  | Øe  |
|----------|--------|-----|-----|
| I2575350 | 315,45 | 350 | 400 |
| I2575400 | 348,76 | 400 | 450 |
| I2575450 | 403,79 | 450 | 500 |
| I2575500 | 588,47 | 500 | 550 |
| I2575550 | 718,64 | 550 | 600 |
| I2575600 | 796,08 | 600 | 650 |
| I2575650 | 835,75 | 650 | 700 |
| I2575700 | 877,00 | 700 | 750 |
| I2575750 | 919,93 | 750 | 800 |
| I2575800 | 987,29 | 800 | 850 |

Raccordo a T 90°



| CODICE   | € pz.    | Øi  | Øe  |
|----------|----------|-----|-----|
| I2520350 | 353,09   | 350 | 400 |
| I2520400 | 393,72   | 400 | 450 |
| I2520450 | 481,66   | 450 | 500 |
| I2520500 | 579,39   | 500 | 550 |
| I2520550 | 848,45   | 550 | 600 |
| I2520600 | 972,84   | 600 | 650 |
| I2520650 | 1.160,15 | 650 | 700 |
| I2520700 | 1.382,68 | 700 | 750 |
| I2520750 | 1.647,21 | 750 | 800 |
| I2520800 | 1.962,00 | 800 | 850 |

Raccordo a T 135°



| CODICE   | € pz.    | Øi  | Øe  |
|----------|----------|-----|-----|
| I2521350 | 652,70   | 350 | 400 |
| I2521400 | 750,03   | 400 | 450 |
| I2521450 | 922,90   | 450 | 500 |
| I2521500 | 1.019,41 | 500 | 550 |
| I2521550 | 1.320,27 | 550 | 600 |
| I2521600 | 1.579,66 | 600 | 650 |
| I2521650 | 1.883,80 | 650 | 700 |
| I2521700 | 2.432,19 | 700 | 750 |
| I2521750 | 3.018,27 | 750 | 800 |
| I2521800 | 3.698,31 | 800 | 850 |

Gomito a 90°



| CODICE   | € pz.       | Øi  | Øe  |
|----------|-------------|-----|-----|
| I2515350 | 338,14      | 350 | 400 |
| I2515400 | 376,88      | 400 | 450 |
| I2515450 | 482,44      | 450 | 500 |
| I2515500 | 567,50      | 500 | 550 |
| I2515550 | 836,15      | 550 | 600 |
| I2515600 | 1.089,92    | 600 | 650 |
| I2515650 | a richiesta | 650 | 700 |
| I2515700 | a richiesta | 700 | 750 |
| I2515750 | a richiesta | 750 | 800 |
| I2515800 | a richiesta | 800 | 850 |

# AN ISO 25 INOX-INOX

Gomito a 45°



| CODICE   | € pz.    | Øi  | Øe  |
|----------|----------|-----|-----|
| I2517350 | 194,35   | 350 | 400 |
| I2517400 | 216,59   | 400 | 450 |
| I2517450 | 254,76   | 450 | 500 |
| I2517500 | 299,45   | 500 | 550 |
| I2517550 | 492,74   | 550 | 600 |
| I2517600 | 630,75   | 600 | 650 |
| I2517650 | 697,35   | 650 | 700 |
| I2517700 | 800,15   | 700 | 750 |
| I2517750 | 903,00   | 750 | 800 |
| I2517800 | 1.074,12 | 800 | 850 |

Gomito a 30°




| CODICE   | € pz.    | Øi  | Øe  |
|----------|----------|-----|-----|
| I2519350 | 194,35   | 350 | 400 |
| I2519400 | 216,59   | 400 | 450 |
| I2519450 | 254,76   | 450 | 500 |
| I2519500 | 299,45   | 500 | 550 |
| I2519550 | 492,74   | 550 | 600 |
| I2519600 | 630,75   | 600 | 650 |
| I2519650 | 697,35   | 650 | 700 |
| I2519700 | 800,15   | 700 | 750 |
| I2519750 | 903,00   | 750 | 800 |
| I2519800 | 1.074,12 | 800 | 850 |

Gomito a 15°



| CODICE   | € pz.    | Øi  | Øe  |
|----------|----------|-----|-----|
| I2518350 | 194,35   | 350 | 400 |
| I2518400 | 216,59   | 400 | 450 |
| I2518450 | 254,76   | 450 | 500 |
| I2518500 | 299,45   | 500 | 550 |
| I2518550 | 492,74   | 550 | 600 |
| I2518600 | 630,75   | 600 | 650 |
| I2518650 | 697,35   | 650 | 700 |
| I2518700 | 800,15   | 700 | 750 |
| I2518750 | 903,00   | 750 | 800 |
| I2518800 | 1.074,12 | 800 | 850 |

Cappello controventato



| CODICE   | € pz.       | Øi  | Øe  |
|----------|-------------|-----|-----|
| I2536350 | 255,39      | 350 | 400 |
| I2536400 | 267,51      | 400 | 450 |
| I2536450 | 332,48      | 450 | 500 |
| I2536500 | 473,19      | 500 | 550 |
| I2536550 | a richiesta | 550 | 600 |
| I2536600 | a richiesta | 600 | 650 |
| I2536650 | a richiesta | 650 | 700 |
| I2536700 | a richiesta | 700 | 750 |
| I2536750 | a richiesta | 750 | 800 |
| I2536800 | a richiesta | 800 | 850 |

Cappello parapigioggia



| CODICE   | € pz.    | Øi  | Øe  |
|----------|----------|-----|-----|
| I2537350 | 224,27   | 350 | 400 |
| I2537400 | 253,54   | 400 | 450 |
| I2537450 | 286,76   | 450 | 500 |
| I2537500 | 299,31   | 500 | 550 |
| I2537550 | 434,42   | 550 | 600 |
| I2537600 | 576,60   | 600 | 650 |
| I2537650 | 684,04   | 650 | 700 |
| I2537700 | 878,91   | 700 | 750 |
| I2537750 | 1.089,67 | 750 | 800 |
| I2537800 | 1.314,66 | 800 | 850 |

Cono terminale



| CODICE   | € pz.  | Øi  | Øe  |
|----------|--------|-----|-----|
| I2538350 | 168,22 | 350 | 400 |
| I2538400 | 175,30 | 400 | 450 |
| I2538450 | 217,91 | 450 | 500 |
| I2538500 | 232,79 | 500 | 550 |
| I2538550 | 252,36 | 550 | 600 |
| I2538600 | 294,12 | 600 | 650 |
| I2538650 | 320,27 | 650 | 700 |
| I2538700 | 376,79 | 700 | 750 |
| I2538750 | 443,72 | 750 | 800 |
| I2538800 | 633,86 | 800 | 850 |

Tappo con maniglia




| CODICE   | € pz.  | Øi  | Øe  |
|----------|--------|-----|-----|
| I2525350 | 153,79 | 350 | 400 |
| I2525400 | 161,05 | 400 | 450 |
| I2525450 | 185,69 | 450 | 500 |
| I2525500 | 198,59 | 500 | 550 |
| I2525550 | 232,15 | 550 | 600 |
| I2525600 | 271,94 | 600 | 650 |
| I2525650 | 385,95 | 650 | 700 |
| I2525700 | 597,04 | 700 | 750 |
| I2525750 | 794,23 | 750 | 800 |
| I2525800 | 975,58 | 800 | 850 |

Tappo con drenaggio



| CODICE   | € pz.  | Øi  | Øe  |
|----------|--------|-----|-----|
| I2529350 | 147,95 | 350 | 400 |
| I2529400 | 155,10 | 400 | 450 |
| I2529450 | 179,01 | 450 | 500 |
| I2529500 | 191,29 | 500 | 550 |
| I2529550 | 223,93 | 550 | 600 |
| I2529600 | 260,59 | 600 | 650 |
| I2529650 | 367,13 | 650 | 700 |
| I2529700 | 567,91 | 700 | 750 |
| I2529750 | 755,49 | 750 | 800 |
| I2529800 | 927,98 | 800 | 850 |

Coppia spalle supporto a muro



| CODICE    | € pz.  | Øi  | Øe  |
|-----------|--------|-----|-----|
| I25823502 | 152,11 | 350 | 400 |
| I25824002 | 173,87 | 400 | 450 |
| I25824502 | 203,52 | 450 | 500 |
| I25825002 | 268,09 | 500 | 550 |
| I25825502 | 304,74 | 550 | 600 |
| I25826002 | 357,78 | 600 | 650 |
| I25826502 | 388,46 | 650 | 700 |
| I25827002 | 420,62 | 700 | 750 |
| I25827502 | 454,43 | 750 | 800 |
| I25828002 | 486,08 | 800 | 850 |

Piastra intermedia supporto a muro



| CODICE    | € pz.    | Øi  | Øe  |
|-----------|----------|-----|-----|
| I25823501 | 232,49   | 350 | 400 |
| I25824001 | 273,96   | 400 | 450 |
| I25824501 | 305,57   | 450 | 500 |
| I25825001 | 353,93   | 500 | 550 |
| I25825501 | 471,85   | 550 | 600 |
| I25826001 | 530,98   | 600 | 650 |
| I25826501 | 628,88   | 650 | 700 |
| I25827001 | 763,49   | 700 | 750 |
| I25827501 | 969,43   | 750 | 800 |
| I25828001 | 1.277,65 | 800 | 850 |

Piastra ancoraggio con drenaggio laterale



| CODICE   | € pz.    | Øi  | Øe  |
|----------|----------|-----|-----|
| I2591350 | 231,50   | 350 | 400 |
| I2591400 | 270,11   | 400 | 450 |
| I2591450 | 303,49   | 450 | 500 |
| I2591500 | 347,29   | 500 | 550 |
| I2591550 | 411,11   | 550 | 600 |
| I2591600 | 469,79   | 600 | 650 |
| I2591650 | 590,98   | 650 | 700 |
| I2591700 | 714,73   | 700 | 750 |
| I2591750 | 915,26   | 750 | 800 |
| I2591800 | 1.219,50 | 800 | 850 |

Adattatore mono (M) doppia parete (F)



| CODICE      | € pz.  | Øi  | Øe  |
|-------------|--------|-----|-----|
| I2568350350 | 121,33 | 350 | 400 |
| I2568400400 | 153,55 | 400 | 450 |
| I2568450450 | 185,03 | 450 | 500 |
| I2568500500 | 223,70 | 500 | 550 |
| I2568550550 | 343,89 | 550 | 600 |
| I2568600600 | 394,63 | 600 | 650 |
| I2568650650 | 544,59 | 650 | 700 |
| I2568700700 | 635,88 | 700 | 750 |
| I2568750750 | 746,56 | 750 | 800 |
| I2568800800 | 907,66 | 800 | 850 |

# AN ISO 25 INOX-INOX

Adattatore doppia (M) monoparete (F)



| CODICE   | € pz.  | Øi  | Øe  |
|----------|--------|-----|-----|
| I2578350 | 114,64 | 350 | 400 |
| I2578400 | 145,15 | 400 | 450 |
| I2578450 | 175,00 | 450 | 500 |
| I2578500 | 211,68 | 500 | 550 |
| I2578550 | 274,69 | 550 | 600 |
| I2578600 | 326,34 | 600 | 650 |
| I2578650 | 471,98 | 650 | 700 |
| I2578700 | 567,18 | 700 | 750 |
| I2578750 | 676,42 | 750 | 800 |
| I2578800 | 838,56 | 800 | 850 |

Faldale regolabile 5°/30° con base in alluminio



| CODICE  | € pz.  | Øi  | Øe  |
|---------|--------|-----|-----|
| M051400 | 156,17 | 350 | 400 |
| M051450 | 184,71 | 400 | 450 |
| M051500 | 209,39 | 450 | 500 |
| M051550 | 227,87 | 500 | 550 |
| M051600 | 246,31 | 550 | 600 |
| M051650 | 433,15 | 600 | 650 |
| M051700 | 486,25 | 650 | 700 |
| M051750 | 539,13 | 700 | 750 |
| M051800 | 672,00 | 750 | 800 |
| M051850 | 839,99 | 800 | 850 |

Fascetta di chiusura / bloccaggio elementi



| CODICE  | € pz. | Øi  | Øe  |
|---------|-------|-----|-----|
| M083400 | 8,04  | 350 | 400 |
| M083450 | 10,13 | 400 | 450 |
| M083500 | 10,82 | 450 | 500 |
| M083550 | 11,48 | 500 | 550 |
| M083600 | 11,81 | 550 | 600 |
| M083650 | 12,34 | 600 | 650 |
| M083700 | 12,96 | 650 | 700 |
| M083750 | 13,57 | 700 | 750 |
| M083800 | 14,76 | 750 | 800 |
| M083850 | 17,06 | 800 | 850 |

Faldale regolabile 5°/30° con base in piombo



| CODICE   | € pz.       | Øi  | Øe  |
|----------|-------------|-----|-----|
| M051400P | a richiesta | 350 | 400 |
| M051450P | a richiesta | 400 | 450 |
| M051500P | a richiesta | 450 | 500 |
| M051550P | a richiesta | 500 | 550 |
| M051600P | a richiesta | 550 | 600 |
| M051650P | a richiesta | 600 | 650 |
| M051700P | a richiesta | 650 | 700 |
| M051750P | a richiesta | 700 | 750 |
| M051800P | a richiesta | 750 | 800 |
| M051850P | a richiesta | 800 | 850 |

Fascetta / collare a muro regolabile 50 - 80 mm




| CODICE  | € pz.  | Øi  | Øe  |
|---------|--------|-----|-----|
| M094400 | 77,08  | 350 | 400 |
| M094450 | 83,85  | 400 | 450 |
| M094500 | 86,96  | 450 | 500 |
| M094550 | 90,04  | 500 | 550 |
| M094600 | 93,73  | 550 | 600 |
| M094650 | 99,38  | 600 | 650 |
| M094700 | 105,58 | 650 | 700 |
| M094750 | 114,88 | 700 | 750 |
| M094800 | 124,19 | 750 | 800 |
| M094850 | 142,82 | 800 | 850 |

Faldale piatto con base in alluminio



| CODICE  | € pz.  | Øi  | Øe  |
|---------|--------|-----|-----|
| M053400 | 156,17 | 350 | 400 |
| M053450 | 184,71 | 400 | 450 |
| M053500 | 209,39 | 450 | 500 |
| M053550 | 227,87 | 500 | 550 |
| M053600 | 246,31 | 550 | 600 |
| M053650 | 433,15 | 600 | 650 |
| M053700 | 486,25 | 650 | 700 |
| M053750 | 539,13 | 700 | 750 |
| M053800 | 672,00 | 750 | 800 |
| M053850 | 839,99 | 800 | 850 |

Prolunghe per fascetta a muro



| CODICE    | € COPPIA | LUNGH. |
|-----------|----------|--------|
| M0930001  | 35,14    | 230 mm |
| M0930002  | 43,75    | 480 mm |
| M0930001A | 78,97    | 230 mm |
| M0930002A | 98,96    | 480 mm |

Scossalina standard



| CODICE  | € pz.  | Øi  | Øe  |
|---------|--------|-----|-----|
| M056400 | 83,68  | 350 | 400 |
| M056450 | 92,15  | 400 | 450 |
| M056500 | 103,44 | 450 | 500 |
| M056550 | 115,67 | 500 | 550 |
| M056600 | 126,97 | 550 | 600 |
| M056650 | 169,81 | 600 | 650 |
| M056700 | 195,50 | 650 | 700 |
| M056750 | 236,27 | 700 | 750 |
| M056800 | 292,38 | 750 | 800 |
| M056850 | 365,46 | 800 | 850 |

Fascetta per cavi tiranti



| CODICE  | € pz.  | Øi  | Øe  |
|---------|--------|-----|-----|
| M090400 | 77,08  | 350 | 400 |
| M090450 | 83,85  | 400 | 450 |
| M090500 | 86,96  | 450 | 500 |
| M090550 | 90,04  | 500 | 550 |
| M090600 | 93,73  | 550 | 600 |
| M090650 | 99,38  | 600 | 650 |
| M090700 | 105,58 | 650 | 700 |
| M090750 | 114,88 | 700 | 750 |
| M090800 | 124,19 | 750 | 800 |
| M090850 | 142,82 | 800 | 850 |

Guarnizione per condensazione



| CODICE  | € pz.       | Ø   |
|---------|-------------|-----|
| M052350 | 14,43       | 350 |
| M052400 | 17,26       | 400 |
| M052450 | a richiesta | 450 |
| M052500 | a richiesta | 500 |