

AN ISO 25 INOX-RAME

DOPPIAPARETE INOX ISO 25 RAME

Elemento lineare 1000 mm

gsv 23



CODICE	€ pz.	Øi	Øe	
R2501080	116,71	80	130	✓
R2501100	135,68	100	150	✓
R2501130	160,98	130	180	✓
R2501150	179,37	150	200	✓
R2501180	205,11	180	230	✓
R2501200	224,92	200	250	✓
R2501250	270,53	250	300	✓
R2501300	315,23	300	350	✓

Elemento lineare 500 mm

gsv 23



CODICE	€ pz.	Øi	Øe	
R2502080	70,74	80	130	✓
R2502100	80,04	100	150	✓
R2502130	94,47	130	180	✓
R2502150	104,32	150	200	✓
R2502180	116,62	180	230	✓
R2502200	128,29	200	250	✓
R2502250	153,85	250	300	✓
R2502300	178,48	300	350	✓

Elemento lineare 330 mm

gsv 23



CODICE	€ pz.	Øi	Øe	
R2503080	52,40	80	130	✓
R2503100	58,07	100	150	✓
R2503130	67,52	130	180	✓
R2503150	74,29	150	200	✓
R2503180	82,68	180	230	✓
R2503200	91,98	200	250	✓
R2503250	107,25	250	300	✓
R2503300	122,44	300	350	✓

Elemento lineare 250 mm

gsv 23



CODICE	€ pz.	Øi	Øe	
R2505080	52,40	80	130	✓
R2505100	58,07	100	150	✓
R2505130	67,52	130	180	✓
R2505150	74,29	150	200	✓
R2505180	82,68	180	230	✓
R2505200	91,98	200	250	✓
R2505250	107,25	250	300	✓
R2505300	122,44	300	350	✓

Elemento telescopico/ regolabile 260 - 390 mm

gsv 03



CODICE	€ pz.	Øi	Øe	
R2509080	102,99	80	130	✓
R2509100	114,27	100	150	✓
R2509130	124,37	130	180	✓
R2509150	135,61	150	200	✓
R2509180	158,33	180	230	✓
R2509200	167,06	200	250	✓
R2509250	129,71	250	300	✓
R2509300	234,28	300	350	✓

Elemento prelievo fumi monoforo

gsv 03



CODICE	€ pz.	Øi	Øe	
R2595080	91,19	80	130	✓
R2595100	97,69	100	150	✓
R2595130	109,77	130	180	✓
R2595150	117,13	150	200	✓
R2595180	129,80	180	230	✓
R2595200	140,02	200	250	✓
R2595250	160,86	250	300	✓
R2595300	179,94	300	350	✓

Tappo per prelievo fumi

gsv 01



CODICE	€ pz.	
I2595000	28,50	✓

Elemento lineare con saracinesca

gsv 03



CODICE	€ pz.	Øi	Øe	
R2597080	a richiesta	80	130	✓
R2597100	a richiesta	100	150	✓
R2597130	a richiesta	130	180	✓
R2597150	a richiesta	150	200	✓
R2597180	a richiesta	180	230	✓
R2597200	a richiesta	200	250	✓
R2597250	a richiesta	250	300	✓
R2597300	a richiesta	300	350	✓

Elemento prelievo fumi due fori con termometro

gsv 03



CODICE	€ pz.	Øi	Øe	
R25980801	non disponibile	80	130	✓
R25981001	non disponibile	100	150	✓
R25981301	171,54	130	180	✓
R25981501	185,75	150	200	✓
R25981801	207,42	180	230	✓
R25982001	218,86	200	250	✓
R25982501	250,06	250	300	✓
R25983001	282,12	300	350	✓

Elemento prelievo fumi con termometro e piastra

gsv 03



CODICE	€ pz.	Øi	Øe	
R2598080	non disponibile	80	130	✓
R2598100	non disponibile	100	150	✓
R2598130	359,52	130	180	✓
R2598150	369,05	150	200	✓
R2598180	390,25	180	230	✓
R2598200	399,83	200	250	✓
R2598250	432,81	250	300	✓
R2598300	466,70	300	350	✓

Elemento ispezione con portello

gsv 03



CODICE	€ pz.	Øi	Øe	
R2511080	non disponibile	80	130	✓
R2511100	non disponibile	100	150	✓
R2511130	268,34	130	180	✓
R2511150	276,61	150	200	✓
R2511180	295,05	180	230	✓
R2511200	303,43	200	250	✓
R2511250	365,58	250	300	✓
R2511300	393,79	300	350	✓

TENUTA N1

Elemento ispezione con tappo

gsv 03



CODICE	€ pz.	Øi	Øe	
R2575080	135,67	80	130	✓
R2575100	150,30	100	150	✓
R2575130	188,36	130	180	✓
R2575150	203,92	150	200	✓
R2575180	249,35	180	230	✓
R2575200	270,11	200	250	✓
R2575250	320,49	250	300	✓
R2575300	361,07	300	350	✓

TENUTA P1

! Per ISO 25 RAME DN 350-800: ISO 25 INOX +75%
Per ISO 50 AUMENTO +30%



AN ISO 25 INOX-RAME

Raccordo a T 90°
con ispezione lato
opposto T 200°


gsv 03



CODICE	€ pz.	Øi	Øe	
R25200801	378,55	80	130	
R25201001	416,14	100	150	
R25201301	517,06	130	180	
R25201501	557,25	150	200	
R25201801	673,10	180	230	
R25202001	727,47	200	250	
R25202501	940,10	250	300	
R25203001	1053,51	300	350	

Raccordo a T 90°
con ispezione lato
opposto T 600°

gsv 03



CODICE	€ pz.	Øi	Øe	
R25200802	408,83	80	130	
R25201002	449,44	100	150	
R25201302	558,44	130	180	
R25201502	601,85	150	200	
R25201802	726,97	180	230	
R25202002	785,65	200	250	
R25202502	1.015,32	250	300	
R25203002	1.137,75	300	350	

Raccordo a T 90°

gsv 03



CODICE	€ pz.	Øi	Øe	
R2520080	126,54	■ 80	130	✓
R2520100	137,94	■ 100	150	✓
R2520130	169,80	■ 130	180	✓
R2520150	182,08	● 150	200	✓
R2520180	216,79	● 180	230	✓
R2520200	233,78	● 200	250	✓
R2520250	330,72	● 250	300	✓
R2520300	368,66	▲ 300	350	✓

■ H utile = 270 mm

● H utile = 440 mm

▲ H utile = 490 mm

Raccordo a T 90°
derivazione 80 mm

gsv 03



CODICE	€ pz.	Øi	Øe	
R2522080	98,16	80	130	✓
R2522100	106,05	100	150	✓
R2522130	113,45	130	180	✓
R2522150	123,12	150	200	✓
R2522180	153,20	180	230	✓
R2522200	163,98	200	250	✓
R2522250	211,00	250	300	✓
R2522300	237,82	300	350	✓

H utile = 190 mm

Raccordo a T 135°

gsv 03



CODICE	€ pz.	Øi	Øe	
R2521080	290,05	80	130	
R2521100	311,48	100	150	
R2521130	390,24	130	180	
R2521150	404,09	150	200	
R2521180	445,45	180	230	
R2521200	540,10	200	250	
R2521250	657,56	250	300	
R2521300	739,07	300	350	

Tappo con drenaggio
3/4"

gsv 03



CODICE	€ pz.	Øi	Øe	
R2529080	76,42	80	130	✓
R2529100	78,93	100	150	✓
R2529130	87,13	130	180	✓
R2529150	96,21	150	200	✓
R2529180	111,50	180	230	✓
R2529200	117,55	200	250	✓
R2529250	134,44	250	300	✓
R2529300	150,82	300	350	✓


Scarico condensa
laterale

gsv 03



Tappo ottone
nichelato dn 3/4"
femmina compreso
di guarnizione

gsv 18



Tappo con maniglia
cieco

gsv 03



Adattatore mono (M)
doppia parete (F)
(raccordo caldaia)

gsv 03



Raccordo
mono (F) - doppia (F)
(raccordo caldaia)

gsv 03



Adattatore doppia (M)
monoparete (F)

gsv 03



DOPPIAPARETE INOX ISO 25 RAME

CODICE	€ pz.	Øi	Øe	
R2529080A	144,19	80	130	
R2529100A	159,98	100	150	
R2529130A	174,12	130	180	
R2529150A	189,85	150	200	
R2529180A	221,67	180	230	
R2529200A	233,88	200	250	
R2529250A	181,60	250	300	
R2529300A	327,99	300	350	

CODICE	€ pz.	Q.tà	Ø	
M025080Z	4,54			✓

CODICE	€ pz.	Øi	Øe	
R2525080	80,89	80	130	✓
R2525100	83,48	100	150	✓
R2525130	92,02	130	180	✓
R2525150	101,69	150	200	✓
R2525180	118,62	180	230	✓
R2525200	124,49	200	250	✓
R2525250	142,20	250	300	✓
R2525300	159,36	300	350	✓

CODICE	€ pz.	Øi	Øe	
R2568080080	68,60	80	130	✓
R2568100100	75,04	100	150	✓
R2568130130	87,09	130	180	✓
R2568150150	98,97	150	200	✓
R2568180180	109,69	180	230	✓
R2568200200	118,62	200	250	✓
R2568250250	137,16	250	300	✓
R2568300300	162,69	300	350	✓

CODICE	€ pz.	Øi	Øe	
R2568080080F	75,46	80	130	
R2568100100F	82,54	100	150	
R2568130130F	95,79	130	180	
R2568150150F	108,87	150	200	
R2568180180F	120,66	180	230	
R2568200200F	130,49	200	250	
R2568250250F	150,88	250	300	
R2568300300F	178,96	300	350	


CODICE	€ pz.	Øi	Øe	
R2578080	68,60	80	130	✓
R2578100	75,04	100	150	✓
R2578130	87,09	130	180	✓
R2578150	98,97	150	200	✓
R2578180	109,69	180	230	✓
R2578200	118,62	200	250	✓
R2578250	137,16	250	300	✓
R2578300	162,69	300	350	✓



AN ISO 25 INOX-RAME

Piastra intermedia supporto a muro


GSV 03



CODICE	€ pz.	Øi	Øe	
R25820801	133,19	80	130	✓
R25821001	144,85	100	150	✓
R25821301	170,94	130	180	✓
R25821501	189,61	150	200	✓
R25821801	225,33	180	230	✓
R25822001	242,83	200	250	✓
R25822501	261,11	250	300	✓
R25823001	316,96	300	350	✓

Piastra ancoraggio con drenaggio laterale

GSV 03



CODICE	€ pz.	Øi	Øe	
R2591080	164,54	80	130	✓
R2591100	173,71	100	150	✓
R2591130	198,59	130	180	✓
R2591150	208,57	150	200	✓
R2591180	236,87	180	230	✓
R2591200	247,36	200	250	✓
R2591250	287,28	250	300	✓
R2591300	365,04	300	350	✓

Coppia spalle supporto a muro

GSV 03



CODICE	€ pz.	Øi	Øe	
R25820802	85,79	80	130	✓
R25821002	95,38	100	150	✓
R25821302	110,89	130	180	✓
R25821502	124,76	150	200	✓
R25821802	142,61	180	230	✓
R25822002	155,34	200	250	✓
R25822502	190,13	250	300	✓
R25823002	228,71	300	350	✓

Gomito a 90°

GSV 03



CODICE	€ pz.	Øi	Øe	
R2515080	119,07	80	130	✓
R2515100	126,47	100	150	✓
R2515130	145,90	130	180	✓
R2515150	167,47	150	200	✓
R2515180	197,01	180	230	✓
R2515200	216,43	200	250	✓
R2515250	265,43	250	300	✓
R2515300	323,64	300	350	✓

Gomito a 45°

GSV 03



CODICE	€ pz.	Øi	Øe	
R2517080	67,28	80	130	✓
R2517100	71,77	100	150	✓
R2517130	82,98	130	180	✓
R2517150	95,40	150	200	✓
R2517180	112,03	180	230	✓
R2517200	123,32	200	250	✓
R2517250	152,27	250	300	✓
R2517300	186,87	300	350	✓

Gomito a 30°

GSV 03



CODICE	€ pz.	Øi	Øe	
R2519080	67,28	80	130	✓
R2519100	71,77	100	150	✓
R2519130	82,98	130	180	✓
R2519150	95,40	150	200	✓
R2519180	112,03	180	230	✓
R2519200	123,32	200	250	✓
R2519250	152,27	250	300	✓
R2519300	186,87	300	350	✓

Gomito a 15°

GSV 03



CODICE	€ pz.	Øi	Øe	
R2518080	67,28	80	130	✓
R2518100	71,77	100	150	✓
R2518130	82,98	130	180	✓
R2518150	95,40	150	200	✓
R2518180	112,03	180	230	✓
R2518200	123,32	200	250	✓
R2518250	152,27	250	300	✓
R2518300	186,87	300	350	✓

Gomito a 90° con ispezione T 200°

GSV 03



CODICE	€ pz.	Øi	Øe	
R25150801	a richiesta	80	130	
R25151001	a richiesta	100	150	
R25151301	a richiesta	130	180	
R25151501	a richiesta	150	200	
R25151801	a richiesta	180	230	
R25152001	a richiesta	200	250	
R25152501	a richiesta	250	300	
R25153001	a richiesta	300	350	

Bicchieri di montaggio

GSV 03



CODICE	€ pz.	Øi	Øe	
R2555080	33,01	80	130	
R2555100	35,68	100	150	
R2555130	38,45	130	180	
R2555150	41,02	150	200	
R2555180	44,36	180	230	
R2555200	47,80	200	250	
R2555250	54,09	250	300	
R2555300	62,49	300	350	

Terminale controventato

GSV 03



CODICE	€ pz.	Øi	Øe	
R2536080	117,64	80	130	✓
R2536100	132,97	100	150	✓
R2536130	155,82	130	180	✓
R2536150	187,58	150	200	✓
R2536180	216,18	180	230	✓
R2536200	240,58	200	250	✓
R2536250	273,71	250	300	✓
R2536300	324,66	300	350	✓

Terminale parapioggia

GSV 03



CODICE	€ pz.	Øi	Øe	
R2537080	100,40	80	130	✓
R2537100	109,77	100	150	✓
R2537130	131,03	130	180	✓
R2537150	146,45	150	200	✓
R2537180	175,78	180	230	✓
R2537200	185,08	200	250	✓
R2537250	198,72	250	300	✓
R2537300	260,07	300	350	✓

Cono terminale

GSV 03



CODICE	€ pz.	Øi	Øe	
R2538080	75,82	80	130	
R2538100	89,64	100	150	
R2538130	98,68	130	180	
R2538150	125,97	150	200	
R2538180	133,44	180	230	
R2538200	150,76	200	250	
R2538250	178,32	250	300	
R2538300	192,50	300	350	



AN ISO 25 INOX-RAME

Terminale eolico

gsv 03



CODICE	€ pz.	Øi	Øe	
S450080R	271,67	80	130	
S450100R	246,47	100	150	
S450130R	272,28	130	180	
S450150R	279,67	150	200	
S450180R	307,78	180	230	
S450200R	319,18	200	250	
S450250R	365,81	250	300	
S450300R	431,04	300	350	

Griglia per aria di compensazione



CODICE	€ pz.	Øi	Øe	
R2588080	a richiesta	80	130	
R2588100	a richiesta	100	150	
R2588130	a richiesta	130	180	
R2588150	a richiesta	150	200	
R2588180	a richiesta	180	230	
R2588200	a richiesta	200	250	
R2588250	a richiesta	250	300	
R2588300	a richiesta	300	350	

Attraversamento a tetto H = 650 mm

gsv 03



CODICE	€ pz.	ØP	Øest-F	Øi	Øe	
R2596080	704,26	150	300	80	130	✓
R2596100	797,91	170	300	100	150	✓
R2596130	945,10	200	350	130	180	✓
R2596150	1.007,32	220	350	150	200	✓
R2596180	1.149,79	250	400	180	230	✓
R2596200	1.212,19	270	400	200	250	✓
R2596250	1.396,26	320	450	250	300	✓
R2596300	1.658,40	370	500	300	350	✓

Attraversamento a tetto H = 1000 mm

gsv 03



CODICE	€ pz.	ØP	Øest-F	Øi	Øe	
R2596080A	1.197,25	150	300	80	130	✓
R2596100A	1.356,45	170	300	100	150	✓
R2596130A	1.606,67	200	350	130	180	✓
R2596150A	1.712,45	220	350	150	200	✓
R2596180A	1.954,64	250	400	180	230	✓
R2596200A	2.060,72	270	400	200	250	✓
R2596250A	2.373,65	320	450	250	300	✓
R2596300A	2.819,28	370	500	300	350	✓

Scossalina per attraversamento a tetto maggiorata


gsv 03



CODICE	€ pz.	Øi	Øe	
R056130T	174,56	80	130	✓
R056150T	183,37	100	150	✓
R056180T	215,64	130	180	✓
R056200T	248,76	150	200	✓
R056230T	285,28	180	230	✓
R056250T	328,13	200	250	✓
R056300T	377,07	250	300	✓
R056350T	434,75	300	350	✓

Scossalina standard

gsv 03



CODICE	€ pz.	Øi	Øe	
R056130	55,41	80	130	✓
R056150	62,35	100	150	✓
R056180	81,84	130	180	✓
R056200	88,56	150	200	✓
R056230	94,24	180	230	✓
R056250	102,42	200	250	✓
R056300	113,04	250	300	✓
R056350	143,83	300	350	✓

DOPPIAPARETE INOX ISO 25 RAME

Faldale regolabile 5°/30° con base in alluminio

gsv 03



CODICE	€ pz.	Øi	Øe	
R051130	121,22	80	130	✓
R051150	129,39	100	150	✓
R051180	158,82	130	180	✓
R051200	179,44	150	200	✓
R051230	191,33	180	230	✓
R051250	205,97	200	250	✓
R051300	206,87	250	300	✓
R051350	290,25	300	350	✓
R051400	294,08	350	400	✓
R051450	347,83	400	450	✓
R051500	394,30	450	500	✓

Faldale piatto con base in alluminio

gsv 03



CODICE	€ pz.	Øi	Øe	
R053130	121,22	80	130	✓
R053150	129,39	100	150	✓
R053180	158,82	130	180	✓
R053200	179,44	150	200	✓
R053230	191,33	180	230	✓
R053250	205,97	200	250	✓
R053300	206,87	250	300	✓
R053350	290,25	300	350	✓
R053400	294,08	350	400	✓
R053450	347,83	400	450	✓
R053500	394,30	450	500	✓

Faldale regolabile 5°/30° con base in piombo maggiorata


gsv 03



CODICE	€ pz.	Dim. mm	Øi	Øe	
R051130PM	227,08	1000X700	80	130	✓
R051150PM	227,08	1000X700	100	150	✓
R051180PM	249,79	1000X800	130	180	✓
R051200PM	249,79	1000X800	150	200	✓
R051230PM	295,20	1000X800	180	230	✓
R051250PM	295,20	1000X800	200	250	✓
R051300PM	340,62	1100X1000	250	300	✓
R051350PM	454,16	1100X1000	300	350	✓
R051400PM	544,99	1100X1000	350	400	✓

Faldale regolabile 5°/30° con base in alluminio estensibile plissettato


gsv 03



CODICE	€ pz.	Dim. mm	Øi	Øe	
R051130PL	190,16	900X600	80	130	✓
R051150PL	190,16	900X600	100	150	✓
R051180PL	190,16	900X900	130	180	✓
R051200PL	190,16	900X900	150	200	✓
R051250PL	219,42	900X900	200	250	✓
R051300PL	219,42	900X900	250	300	✓
R051350PL	243,80	900X900	300	350	✓

Rosone coprimuro rame (in 2 pezzi) piatto

gsv 03



CODICE	€ pz.	Øi	Øe	
R057130	54,23	80	130	✓
R057150	55,97	100	150	✓
R057180	58,75	130	180	✓
R057200	60,72	150	200	✓
R057230	63,87	180	230	✓
R059250	66,09	200	250	✓
R057300	72,05	250	300	✓
R057350	78,61	300	350	✓
R057400	85,78	350	400	✓
R057450	93,55	400	450	✓
R057500	101,93	450	500	✓

Rosone coprimuro rame (in 2 pezzi) inclinato

gsv 03



CODICE	€ pz.	Øi	Øe	
R058130	55,89	80	130	✓
R058150	57,72	100	150	✓
R058180	60,65	130	180	✓
R058200	62,73	150	200	✓
R058230	66,02	180	230	✓
R058250	68,34	200	250	✓
R058300	74,55	250	300	✓
R058350	81,36	300	350	✓
R058400	88,77	350	400	✓
R058450	96,79	400	450	✓
R058500	105,41	450	500	✓

AN ISO 25 INOX-RAME

Guarnizione per condensazione

gsv 04



PEZZO DI RICAMBIO

CODICE	€ pz.	Øi	Øe	
M052080	0,87	80	130	✓
M052100	1,59	100	150	✓
M052130	2,18	130	180	✓
M052150	2,86	150	200	✓
M052180	3,86	180	230	✓
M052200	4,99	200	250	✓
M052250	7,09	250	300	✓
M052300	9,08	300	350	✓

Fascetta di chiusura / bloccaggio elementi

gsv 03




H = 30 mm

CODICE	€ pz.	Øi	Øe	
R083130	12,17	80	130	✓
R083150	12,49	100	150	✓
R083180	12,95	130	180	✓
R083200	13,30	150	200	✓
R083230	13,71	180	230	✓
R083250	14,44	200	250	✓
R083300	15,40	250	300	✓
R083350	16,58	300	350	✓

Fascetta/collare a muro regolabile 50 - 80 mm

gsv 03



H = 40 mm

CODICE	€ pz.	Øi	Øe	
R094130	33,39	80	130	✓
R094150	40,65	100	150	✓
R094180	46,37	130	180	✓
R094200	51,00	150	200	✓
R094230	53,14	180	230	✓
R094250	56,32	200	250	✓
R094300	61,54	250	300	✓
R094350	76,02	300	350	✓

DOPPIAPARETE INOX ISO 25 RAME

Coppia prolunghe per fascetta a muro

gsv 03



H = 40 mm

CODICE	€ COPPIA	LUNGH.	
R0930001	75,98	230 mm	✓
R0930002	94,97	480 mm	✓

Fascetta per cavi tiranti

gsv 03



H = 40 mm

CODICE	€ pz.	Øi	Øe	
R090130	30,66	80	130	✓
R090150	37,37	100	150	✓
R090180	42,65	130	180	✓
R090200	46,91	150	200	✓
R090230	48,92	180	230	✓
R090250	51,82	200	250	✓
R090300	56,59	250	300	✓
R090350	69,98	300	350	✓

Kit fissaggio 4 tasselli dn 12 bullone m8x60 inox/inox

gsv 18



CODICE	€ pz.	
S401001	3,49	✓